



- NOTES:**
1. LINES SHOWN AS BOLD SHALL MEET THE HIRF GUIDELINES AS SPELLED OUT ON THE AVIONICS CABLE KIT, AND MANUFACTURED IN ACCORDANCE WITH CESSNA SPECIFICATION CSAM012.
 2. TWO CONDUCTOR SHIELDED WIRE PER M27500-ML2T08. (* SIZE 22 EXCEPT AS NOTED)
 3. TWO CONDUCTOR TWISTED WIRE PER M27500-ML2U00. (* SIZE 22 EXCEPT AS NOTED)
 4. ALL WIRE PER MIL-W-81044/12, 22 AWG.
 5. AN ASTERISK PRECEDING A LETTER INDICATES LOWER CASE.
 6. AFFIX CM2987-5 ID TAG NEAR PLUG.
 7. REFER TO 8654500 FOR LIGHTING AND GROUND BLOCK LOCATIONS.
 8. MISC HARDWARE REOD:
 - M81824/1-1 SPLICE
 - M81824/1-2 SPLICE
 - S1367-1-6 TERMINAL
 - S1367-1-8 TERMINAL
 - S2974N3 SOLDER SLEEVE
 - S2974-3 SHIELD TERMINATION
9. POSITRONIC IND., SPRINGFIELD, MO.

PROCADAM DRAWING

DATE	02/11/99	CESSNA AIRCRAFT COMPANY	
DRWN	ANDY SEATON	AIRCRAFT DIVISION	
GROUP		P.O. BOX 7704	
CHECK		WICHITA, KANSAS 67277	
SECT		C/A - DUAL RMU & STANDBY CTRL HEAD (HONEYWELL) (IC-615)	
PROJ		SIZE	FSOJ NO.
M.E.		DWG NO.	
OTHER		FABRICATE PER CES2606	
		PROCESS PER XXXXXXXXXXXXX	
		WIRE TERMINATION PER CES2118	

SCALE: SCL PARENT 8601101 SHEET 1 OF 1

CES FORM 1872